





CONCEIVED TO FACE THE COLD
DESIGNED TO PROVIDE MAXIMUM COMFORT

When working in cold environments, facing subzero climate or dealing with conditions of low visibility, Refrigue offers protective equipment able to adapt any situation. Discover our catalogue. Refrigue offers a wide range of protective clothing. The catalogue is divided in sections: cold protection designed for positive temperatures, subzero cold, high visibility and accessories. Keep the cold outside. Wear Refrigue.

CONTENTS

ABOUT US	06
POSITIVE COLD	09
SUBZERO TEMPERATURE	15
HIGH VISIBILITY	23
HEAD PROTECTION	25
PROTECTIVE GLOVES	27
SAFETY FOOTWEAR	32
COLD STORAGE	33
SERVICES	35
SIZE GUIDE	36
WASHING & CARE INSTRUCTIONS	37
DISTRIBUTORS	38



MORE THAN 45 YEARS AT YOUR SERVICE

Refrigue Confecções Para o Frio Lda. delivers technical and professional clothing and certified personal protective clothing for demanding professionals. We design PPE for cold protection, subzero temperatures and high visibility.

The catalogue is divided in categories in order to go through our offer, according to every need. As you leaf through, you will discover the proper equipment for each adequate temperature to protect you from adverse conditions from head to toe.

In the end, you'll find all the instructions for the good durability of each equipment, as well as how to measure the ideal size for each employee or user. You'll also find every contact of our distributors. If you have any questions, do not hesitate to contact us

ABOUT US

01

Founded in 1972, we began our simple goal to keep people warm and safe. Over generations, we've built a strong reputation as an expert manufacturer of high performance cold protection apparel. Over more than 45 years, we've refined our manufacturing experience and technical expertise to produce technical apparel for professional use where safety, comfort and cold protection are major concerns.

Our founder, Mrs. Georgina Reis, driven and hard working sets as a true woman entrepreneur. The driving force behind the company, nurturing ideas, stimulating growth and everlasting professional connections through Europe, Africa and the Middle East. A lifetime dedication to the company and a true passion for the textile industry.

Most of our Personal Protective Equipment and any technical clothing comply with current European regulations, their directives and standards. Thermal insulation protects the user in both positive and negative temperatures up to - $62\,^{\circ}$ C.

TRADITION & MODERN TIMES





For more than 45 years, we've put our know-how and expertise at all professionals disposal. Pioneer in manufacturing certified PPE's in Portugal, Refrigue is proud to ensure that every component is made in Europe.

Our outer fabric is produced from high tenacity polyamide, manufactured in Europe exclusively for our company. It is breathable and water repellent. The filling is made of polyester with different weights for every cold protection: 50 gr, 140 gr, 200 gr, 220 gr. The inside lining is made of polyester.

Internationally recognized for its materials durability and quality, we can only be proud and express our utmost gratitude for our customers and distributors loyalty.

OUR FACILITIES

Our integrated and optimized solutions of workwear and personal protective equipment are marketed under our trademark Refrigue® certified according to European Union standard norms.



- 1. You'll find our facilities on a manufacturing area of 1500 m².
- 2. An integrated and secure manufacturing house.
- 3. A team by your side.
- 4. More than 30 dedicated employees at your service.

POSITIVE COLD

For comfort and durability, discover our models designed to protect users from cool environments. Ideally lightweight and breathable, they provide a lighter protection for temperatures from - 5° to 10° C.





VEST P11

PPE TECHNICAL FEATURES

| WAIST LENGHT | HORIZONTAL LINING | FRONT ZIPPER | POCKETLESS MODEL | THERMAL INSULATION AND QUILTED LINING | TEMPERATURE IS MAINTAINED IN WET ENVIRONMENTS | RESISTANT, BREATHABLE, EASY MAINTENANCE

PPE COMPOSITION

| OUTER FABRIC:100% NYLON 62 GR/M² | LINING: 100% POLYESTER 62 GR/M² | THERMAL INSULATION: 100% POLYESTER 140 GR/M²

| COLOURS NAVY, WHITE XXS-XXXL

VEST P12

PPE TECHNICAL FEATURES

| KNITTED COLLAR
| LONGER IN THE BACK FOR KIDNEY PROTECTION |
| FRONT ZIPPER
| ELASTIC KNITTING ON THE SIDE
| ONE CHEST POCKET
| TWO LOWER POCKETS WITH THERMAL INSULATION |
| THERMAL INSULATION AND QUILTED LINING |
| TEMPERATURE IS MAINTAINED IN WET ENVIRONMENTS |
| RESISTANT, BREATHABLE, EASY MAINTENANCE

PPE COMPOSITION

| OUTER FABRIC:100% NYLON 62 GR/M² | LINING: 100% POLYESTER 62 GR/M² | KNITTING: 100% ACRYLIC FIBRE | THERMAL INSULATION: 100% POLYESTER 140 GR/M²

| COLOURS NAVY, WHITE | SIZES XXS-XXXL







VEST P13

STANDARD NORMS EN ISO 13688:2013 EN 14058:2017

EC CERTIFICATION 048/2019 NOTIFIED BODY Nº2766



PPE TECHNICAL FEATURES

| KNITTED COLLAR
| LONGER IN THE BACK FOR KIDNEY PROTECTION
| FRONT ZIPPER | FRUNI ZIPPEK |
| ELASTIC KNITTING ON THE SIDE |
| TWO LOWER POCKETS WITH THERMAL INSULATION |
| THERMAL INSULATION AND QUILTED LINING |
| TEMPERATURE IS MAINTAINED IN WET ENVIRONMENTS |
| RESISTANT, BREATHABLE, EASY MAINTENANCE

PPE COMPOSITION

| COLLAR: 100% ACRILIC FIBRE | OUTER FABRIC: 100% POLYAMIDE 6.6 185 GR/M² | LINING: 100% POLYESTER 62 GR/M² | THERMAL INSULATION: 100% POLYESTER 200 GR/M²

| COLOURS: BLACK, ROYAL, NAVY, GREEN, BRING GREEN, RED, ORANGE, WHITE, GREY, CHINO, CARAMEL, BROWN | SIZES: XXS-XXXL

VEST P13M

PPE TECHNICAL FEATURES
| MODEL WITHOUT ZIPPER
| WITH PROTECTIVE FLAP AND PRESS STUDS

PPE COMPOSITION

|SEE P13

COLOURS: SEE P13 | SIZES: SEE P13





JACKET P124

PPE TECHNICAL FEATURES

| WAIST LENGHT | HORIZONTAL LINING | FRONT ZIPPER

| FRONT ZIPPER |
| POCKETLESS MODEL |
| KNITTED CUFFS FOR PERFECT FIT |
| THERMAL INSULATION AND QUILTED LINING |
| TEMPERATURE IS MAINTAINED IN WET ENVIRONMENTS |
| RESISTANT, BREATHABLE, EASY MAINTENANCE

PPE COMPOSITION

| OUTER FABRIC:100% NYLON 62 GR/M² | LINING: 100% POLYESTER 62 GR/M² | THERMAL INSULATION: 100% POLYESTER 140 GR/M²

| COLOURS | SIZES

NAVY, WHITE XXS-XXXL

JACKET P125

EU STANDARDS

EN 340

EN 342 2,3 CAT II EC CERTIFICATION Nº0072/282/162/06/97/0163

PPE TECHNICAL FEATURES

PPE TECHNICAL FEATURES

| WAIST LENGHT |
| KNITTED COLLAR |
| FRONT ZIPPER |
| 2 LOWER POCKETS WITH THERMAL INSULATION |
| KNITTED CUFFS FOR A PERFECT FIT |
| THERMAL INSULATION AND QUILTED LINING |
| TEMPERATURE IS MAINTAINED IN WET ENVIRONMENTS |
| RESISTANT, BREATHABLE, EASY MAINTENANCE

PPE COMPOSITION

PPE COMPOSITION

| KNITTING: 100% ACRYLIC FIBRE

| OUTER FABRIC:100% NYLON 62 GR/M²

| LINING: 100% POLYESTER 62 GR/M²

| THERMAL INSULATION: 100% POLYESTER 140 GR/M²

| COLOURS | SIZES

NAVY, WHITE XXS-XXXL



JACKET P125L

EU STANDARDS

EN 340

EN 342 2,3 CAT II

EC CERTIFICATION Nº 0072/282/162/06/97/0163

PPE TECHNICAL FEATURES

| LONGER VERSION OF MODEL P125 FOR INCREASED PROTECTION | WITH OR WITHOUT HOOD

WHEN WITHOUT HOOD, WITH KNITTED COLLAR FRONT ZIPPER

| 2 LOWER POCKETS WITH THERMAL INSULATION | KNITTED CUFFS FOR A PERFECT FIT | 2 LOWER POCKETS WITH THERMAL INSULATION

THERMAL INSULATION AND QUILTED LINING
TEMPERATURE IS MAINTAINED IN WET ENVIRONMENTS

RESISTANT, BREATHABLE, EASY MAINTENANCE

PPE COMPOSITION

| KNITTING: 100% ACRYLIC FIBRE | OUTER FABRIC:100% NYLON 62 GR/M² | LINING: 100% POLYESTER 62 GR/M² | THERMAL INSULATION: 100% POLYESTER 140 GR/M²

| COLOURS NAVY, WHITE | SIZES XXS-XXXL

JACKET P125MD

EU STANDARDS

EN 340

EN 342:2004 CAT II EC CERTIFICATION Nº 0072/282/162/04/14/0024/EX03 04 14

PPE TECHNICAL FEATURES

| WAIST LENGHT

KNITTED COLLAR
DETACHABLE SLEEVES 2 X 1 (JACKET AND VEST)

FRONT ZIPPER 2 LOWER POCKETS WITH THERMAL INSULATION

THERMAL INSULATION AND QUILTED LINING
TEMPERATURE IS MAINTAINED IN WET ENVIRONMENTS RESISTANT, BREATHABLE, EASY MAINTENANCE

PPE COMPOSITION

| KNITTING: 100% ACRYLIC FIBRE OUTER FABRIC:100% NYLON 62 GR/M²
| LINING: 100% POLYESTER 62 GR/M²
| THERMAL INSULATION: 100% POLYESTER 140 GR/M²

NAVY, WHITE | COLOURS SIZES XXS-XXXL

OUTER FABRIC NYLON WHITE OR BLUE | THERMAL INSULATION 140 GR/M² ALL COLOURS OUTER FABRIC COLDSTORAGE | THERMAL INSULATION 140 GR/M² ALL COLOURS OUTER FABRIC COLDSTORAGE | THERMAL INSULATION 220 GR/M²





ELASTIC FOR FOOT FIT**

TROUSERS P126

EU STANDARDS EN 340

EN 342 2,3 CAT II EC CERTIFICATION № 0072/282/162/06/97/0162

PPE TECHNICAL FEATURES | HIGH-RISE BACK FOR KIDNEY MAXIMUM THERMAL

| HIGH-RISE BACK FOR KIDNEY MAXIMUM THERMAL
PROTECTION |
| ELASTIC WAIST TO AVOID COLD |
| FRONT ZIPPER WITH PRESS STUD |
| KNITTED ANKLE |
| ELASTIC UNDER ANKLE FOR FOOT FIT |
| THERMAL INSULATION AND QUILTED LINING |
| TEMPERATURE IS MAINTAINED IN WET ENVIRONMENTS |
| RESISTANT, BREATHABLE, EASY MAINTENANCE

PPE COMPOSITION

PPE COMPOSITION

| KNITTING: 100% ACRYLIC FIBRE
| OUTER FABRIC:100% NYLON 62 GR/M²
| LINING: 100% POLYESTER 62 GR/M²
| THERMAL INSULATION: 100% POLYESTER 140 GR/M²

| COLOURS | SIZES NAVY, WHITE XXS-XXXL

* POSSIBILITY OF ADDING SUSPENDERS
** POSSIBILITY TO CUSTOMIZE ANKE FIT



SUBZERO TEMPERATURE

Working in a cold environment causes additional challenges for professionals. Refrigue offers technical and standardised clothing that allows you to work safely while feeling real comfort. Our collection offers a selection of protective equipment (PPE) for optimal protection from the effects of negative temperatures, work outdoors or in extreme cold conditions: for example chilled or frozen storage areas, cold chambers, to mention a few.





JACKET P56



EN342 0.310 M² K/W(B)

EU STANDARDS EN 340 EN 342:2004 CAT II

EC CERTIFICATION Nº 0072/282/162/04/14/0024/EX01 04 14

PPE TECHNICAL FEATURES

FUR COLLAR
| FRONT ZIPPER WITH PROTECTIVE FLAP AND PRESS STUDS
| 1 INNER CHEST POCKET
| 2 WAIST POCKETS
| KNITTED CUFFS FOR A PERFECT FIT
| ADJUSTABLE WAIST WITH VELCRO STRAPS ON THE BACK
| THERMAL INSULATION AND QUILTED LINING
| TEMPERATURE IS MAINTAINED IN WET ENVIRONMENTS
| RESISTANT, BREATHABLE, EASY MAINTENANCE

PPE COMPOSITION

| FUR: 100% ACRYLIC FIBRE 700 GR/M² | CUFFS: 100% ACRYLIC FIBRE | OUTER FABRIC: 100% POLYAMIDE 6.6 185 GR/M² | LINING: 100% POLYESTER 62 GR/M² | THERMAL INSULATION: 100% POLYESTER 220 GR/M²

|COLOURS: BLACK, ROYAL, NAVY, GREEN, BRING GREEN, RED, ORANGE, WHITE, GREY, CHINO, CARAMEL, BROWN | SIZES: XXS-XXXL

JACKET P59



EN342 0.310 M² K/W(B)

EU STANDARDS
EN 340
EN 342:2004 CAT II
EC CERTIFICATION Nº 0072/282/162/04/14/0024

PPE TECHNICAL FEATURES

| SEE P56 DIFFERENCES: | 1 CHEST POCKET | BIGGER WAIST POCKETS WITH THERMALIN-SULATION

PPE COMPOSITION

| SEE P56

|COLOURS: SEE P56 |SIZES: XXS-XXXL

FOR HIGHER PROTECTION COMBINE WITH HOOD P40 PANTS P245 / P295 / P297













PARKA P60

EU STANDARDS EN 340 EN 342:2004 CAT II

EC CERTIFICATION Nº 0072/282/162/04/14/0027

PPE TECHNICAL FEATURES

| LONG-THIGH LENGTH COAT | ATTACHED HOOD STUFFED WITH FUR AND KNITTED STRAP AROUND THE FACE FOR BETTER ADJUST

FRONT ZIPPER WITH PROTECTIVE FLAP AND PRESS STUDS

1 CHEST POCKET

2 LOWER POCKET WITH THERMAL INSULATION KNITTED CUFFS FOR A PERFECT FIT

| ADJUSTABLE WAIST WITH VELCRO STRAPS ON THE BACK | THERMAL INSULATION AND QUILTED LINING

| TEMPERATURE IS MAINTAINED IN WET ENVIRONMENTS | RESISTANT, BREATHABLE, EASY MAINTENANCE

PPE COMPOSITION

| FUR: 100% ACRYLIC FIBRE 700 GR/M2 | KNITTING: 100% ACRYLIC FIBRE | OUTER FABRIC: 100% POLYAMIDE 6.6 185 GR/M²

| LINING: 100% POLYESTER 62 GR/M² | THERMAL INSULATION: 100% POLYESTER 220 GR/M²

| COLOURS: BLACK, ROYAL, NAVY, GREEN, BRING GREEN, RED, ORANGE, WHITE, GREY, CHINO, CARAMEL, BROWN XXS-XXXL



PARKA P61

EU STANDARDS EN 340

EN 342:2004 CAT II



PPE TECHNICAL FEATURES

| LONG-THIGH LENGTH COAT | FUR COLLAR

. FRONT ZIPPER WITH PROTECTIVE FLAP AND PRESS STUDS

| 1 CHEST POCKET WITH PROTECTIVE FLAP | 2 LOWER POCKET WITH THERMAL INSULATION

KNITTED CUFFS FOR A PERFECT FIT ADJUSTABLE WAIST WITH VELCRO STRAPS ON THE BACK

| THERMAL INSULATION AND QUILTED LINING | TEMPERATURE IS MAINTAINED IN WET ENVIRONMENTS

PPE COMPOSITION

| FUR: 100% ACRYLIC FIBRE 700 GR/M² KNITTING: 100% ACRYLIC FIBRE OUTER FABRIC: 100% POLYAMIDE 6.6 185 GR/M² LINING: 100% POLYESTER 62 GR/M² THERMAL INSULATION: 100% POLYESTER 220 GR/M²

|COLOURS: BLACK, ROYAL, NAVY, GREEN, BRING GREEN, RED, ORANGE, WHITE, GREY, CHINO, CARAMEL, BROWN |SIZES: XXS-XXXL

FOR HIGHER PROTECTION COMBINE WITH: TROUSERS P245/ P295 / P 297







JACKET P342

EU STANDARDS EN 340 EN 342:2004 CAT II



EC CERTIFICATION Nº 0072/282/162/04/14/0025/EX01 04 14

PPE TECHNICAL FEATURES

| FUR COLLAR | FRONT ZIPPER WITH PROTECTIVE FLAPS AND PRESS STUDS

1 CHEST POCKET WITH PROTECTIVE FLAP AND OPENING FOR PENS 2 LOWER POCKETS WITH THERMAL INSULATION AND PROTECTIVE FLAPS

INNER ELASTIC ON THE BACK TO AVOID COLD KNITTED CUFFS FOR A PERFECT FIT

THERMAL INSULATION AND QUILTED LINING

TEMPERATURE IS MAINTAINED IN WET ENVIRONMENTS

PPE COMPOSITION

| FUR: 100% ACRYLIC FIBRE 700 GR/M² KNITTING: 100% ACRYLIC FIBRE OUTER FABRIC: 100% POLYAMIDE 6.6 185 GR/M² LINING: 100% POLYESTER 62 GR/M² THERMAL INSULATION: 100% POLYESTER 220 GR/M²

|COLOUR: NAVY XXS-XXXL



JACKET P392

EU STANDARDS EN 340

EN 342:2004 CAT II

EC CERTIFICATION Nº 0072/282/162/04/14/0025



0.335 M² K/W(B)

PPE TECHNICAL FEATURES

| SEE JACKET P342 | THE DIFFERENCE LAYS ON THE VARIETY OF COLORS AVAILABLE

PPE COMPOSITION

| SEE JACKET P342

|COLOURS: BLACK, ROYAL, GREEN, BRING GREEN, RED, ORANGE, WHITE, GREY, CHINO, CARAMEL, BROWN XXS-XXXL







JACKET P394

EU STANDARDS EN 340

EN 342:2004 CAT II

EC CERTIFICATION Nº 0072/282/162/04/14/0025/EX02 04 14



PPE TECHNICAL FEATURES

I SEE JACKET P342

THE DIFFERENCE LAYS ON 2 LOWER POCKETS WITH THER-MAL INSULATION WITHOUT PROTECTIVE FLAPS

PPE COMPOSITION

| SEE JACKET P342

|COLOURS: BLACK, NAVY, ROYAL, GREEN, BRING GREEN, RED, ORANGE, WHITE, GREY, CHINO, CARAMEL, BROWN | SIZES: XXS-XXXL







JACKET P393

EU STANDARDS

EN 340

EN 342:2004 CAT II

EC CERTIFICATION Nº 0072/282/162/04/14/0025/EX04 04 14

PPE TECHNICAL FEATURES

PPE IECHNICAL FEATURES
| HIGH-NECK FUR COLLAR FOR CHIN COLD
| PROTECTION |
| POSSIBILITY TO FIX THE HOOD P40. |
| FRONT ZIPPER WITH PROTECTIVE FLAPS
| AND PRESS STUDS |
| 1 CHEST POCKET WITH PROTECTIVE FLAP AND OPENING FOR PENS

| 2 LOWER POCKETS WITH THERMAL INSULATION

| KNITTED CUFFS FOR A PERFECT FIT | THERMAL INSULATION AND QUILTED

LINING
| TEMPERATURE IS MAINTAINED IN WET ENVIRONMENTS

| FUR: 100% ACRYLIC FIBRE 700 GR/M² | KNITTING: 100% ACRYLIC FIBRE OUTER FABRIC: 100% POLYAMIDE 6.6 185 GR/M²

| LINING: 100% POLYESTER 62 GR/M² | THERMAL INSULATION: 100% POLYESTER 220 GR/M²

|COLOURS: BLACK, NAVY, ROYAL, GREEN, BRING GREEN, RED, ORANGE, WHITE, GREY, CHINO, CARAMEL, BROWN |SIZES: XXS-XXXL



JACKET P393BC

PPE TECHNICAL FEATURES

| BICOLOR VERSION OF JACKET P393 | SEE JACKET P393

PPE COMPOSITION

| SEE JACKET P393

|COLOURS: BLACK, NAVY, ROYAL, GREEN, BRING GREEN, RED, ORANGE, YELLOW, WHITE, GREY, CHINO, CARAMEL, BROWN |SIZES: XXS-XXXL







TROUSERS P245

EU STANDARDS EN 340 EN 342:2004 CAT II

EN 342:2004 CAT ... EC CERTIFICATION 0072/282/162/06/11/0045/EX01 06 11 EN342 0.313M² K/W(B)

PPE TECHNICAL FEATURES

| HIGH-RISE BACK FOR KIDNEY MAXIMUM THERMAL PROTECTION

FRONT ZIPPER WITH PROTECTIVE FLAP AND PRESS

| ADJUSTABLE SUSPENDERS

LEG ZIPPERS 57 CM LONG WITH PROTECTIVE FLAPS AND PRESS STUDS

| 1 BACK POCKET | 2 FRONT POCKET WITH THERMAL INSULATION THERMAL INSULATION AND QUILTED LINING
TEMPERATURE IS MAINTAINED IN WET ENVI-

RONMENTS

PPE COMPOSITION

| OUTER FABRIC: 100% POLYAMIDE 6.6 185 GR/M² | LINING: 100% POLYESTER 62 GR/M² THERMAL INSULATION: 100% POLYESTER 220 GR/M²

|COLOUR: NAVY |SIZES: XXS-XXXL

TROUSERS P295

EU STANDARDS EN 340 EN 342:2004 CAT II

EC CERTIFICATION 0072/282/162/06/11/0045



EN342 0.313M² K/W(B)

PPE TECHNICAL FEATURES

| SEE TROUSERS P245 | THE DIFFERENCE LAYS ON THE VARIETY OF COLORS AVAILABLE

PPE COMPOSITION

| SEE TROUSERS P245

|COLOURS: BLACK, ROYAL, GREEN, BRING GREEN, RED, ORANGE, WHITE, GREY, CHINO, CARAMEL, BROWN | SIZES: XXS-XXXL

TROUSERS P297

EU STANDARDS EN 340 EN 342:2004 CAT II EC CERTIFICATION

0072/282/162/06/11/0045/EX02 06



EN342 0.313M² K/W(B)

PPE TECHNICAL FEATURES

| SEE TROUSERS P245 | THE DIFFERENCE LAYS ON THE LEG ZIPPER 37 CM LONG WITH PROTECTIVE FLAPS AND PRESS-STUDS

PPE COMPOSITION

SEE TROUSERS P245

|COLOURS: BLACK, NAVY, ROYAL, GREEN, BRING GREEN, RED, ORANGE, WHITE, GREY, CHINO, CARAMEL, BROWN |SIZES: XXS-XXXL









COVERALL P540



EN342 0.493M² K/W(B)

EU STANDARDS EN 340 EN 342:2004 CAT II EC CERTIFICATION 0072/282/162/04/14/0026/EX 01 04 14

PPE TECHNICAL FEATURES

|SEE COVERALL P541 | NO HOOD | FUR COLLAR

PPE COMPOSITION

| SEE P541

|COLOURS: SEE P541 |SIZES: XXS-XXXL



EU STANDARDS EN 340 EN 342:2004 CAT II EC CERTIFICATION

EC CERTIFICATION 0072/282/162/04/14/0026



EN342 0.493M² K/W(B

PPE TECHNICAL FEATURES

| HOOD WITH FUR
| HOOD WITH DRAWSTRING AND LOCKS
| ADJUSTABLE WAIST WITH VELCRO
STRAPS ON THE BACK
| 3 ZIPPERS WITH PROTECTIVE FLAPS AND
DOUBLE SLIDERS
| 1 CHEST POCKET WITH PROTECTIVE FLAP
AND OPENING FOR PENS
| 2 LOWER POCKETS WITH PROTECTIVE
FLAPS AND THERMAL INSULATION
| 57 CM LONG LEG ZIPPERS ON THE SIDE
WITH PROTECTIVE FLAPS AND PRESS STUDS
| KNITTED CUFFS FOR A PERFECT FIT
| THERMAL INSULATION AND QUILTED
LINING
| TEMPERATURE IS MAINTAINED IN WET
ENVIRONMENTS

PPE COMPOSITION

| FUR: 100% ACRYLIC FIBRE 700 GR/M² | KNITTING: 100% ACRYLIC FIBRE | OUTER FABRIC: 100% POLYAMIDE 6.6 185 GR/M²

| LINING: 100% POLYESTER 62 GR/M² | THERMAL INSULATION: 100% POLYESTER 220 GR/M²

|COLOURS: BLACK, NAVY, ROYAL, GREEN, BRING GREEN, RED, ORANGE, WHITE, GREY, CHINO, CARAMEL, BROWN |SIZES: XXS-XXXL



COVERALL P543



EN342 0.493M² K/W(B)

EU STANDARDS EN 340 EN 342:2004 CAT II EC CERTIFICATION 0072/282/162/04/14/0026

PPE TECHNICAL FEATURES

|SEE COVERALL P541 | NO HOOD | FUR COLLAR | 1 LOWER POCKETS WITHOUT PROTECTIVE FLAPS

PPE COMPOSITION

| SEE P541

|COLOURS: SEE P541 |SIZES: XXS-XXXL **SETS** These garments are ideal to be used in frozen chambers with moderate temperatures until minus 49.7º C when used as a combination (trousers, jacket and hood). Never forget to complete your outfit for cold protection with head, hand and feet PPE for maximum comfort and safety.





SET P2425

EU STANDARDS EN 340 EN 342:2004 CAT II EC CERTIFICATION 0072/282/162/10/11/0065/EX01 10 11

PPE TECHNICAL FEATURES |SEE JACKET P342 | SEE TROUSERS P245

PPE COMPOSITION

|SEE JACKET P342 | SEE TROUSERS P245

|COLOUR: NAVY |SIZES: XXS-XXXL







SET P2925

EU STANDARDS EN 340 EN 342:2004 CAT II EC CERTIFICATION 0072/282/162/10/11/0065



PPE TECHNICAL FE-**ATURES**

|SEE JACKET P392 | SEE TROUSERS P295

PPE COMPOSITION

|SEE JACKET P392 SEE TROUSERS P295

|COLOUR: BLACK, ROYAL, GREEN, BRING GREEN, RED, ORANGE, WHITE, GREY, CHINO, CARAMEL, BROWN |SIZES: XXS-XXXL



COLLAR MADE OF HIGH QUALITY FUR FOR EXTRA COMFORT.

1 CHEST POCKET WITH PROTECTIVE FLAP AND OPENING FOR PENS

INNER ELASTIC ON THE BACK FOR HIGHER COLD PROTECTION

KNITTED CUFFS FOR PERFECT FIT

LEG ZIPPER 37 CM LONG WITH PROTECTIVE FLAPS AND PRESS-STUDS. EASY AND FAST TO PUT ON.

- 50°C



SET P2497

EU STANDARDS EN 340 EN 342:2004 CAT II

EC CERTIFICATION 0072/282/162/10/11/0065/EX02 1011

EN342 0.313M² K/W(B)



PPE COMPOSITION

|SEE JACKET P394 | SEE TROUSERS P297

|COLOURS: BLACK, NAVY, ROYAL, GREEN, BRING GREEN, RED, ORANGE, WHITE, GREY, CHINO, CARAMEL, BROWN |SIZES: XXS-XXXL

HIGH VISIBILITY

High visibility equipment maintains a great importance protecting employees. It ensures worker's visibility and safety, day and night, when exposed to hazardous conditions, such as exposure to vehicles or machines, and in environments of low visibility. It offers reflective properties. The reflective tape helps the eye to capture the light in low-light contexts. Garments also ensure strength, comfort and breathability properties.



JACKET P396WRT

EU STANDARDS EN 340

EN 342:2004 CAT II

EC CERTIFICATION 0072/282/162/08/96/0460/EX03 10 04

PPE TECHNICAL FEATURES

| HIGH-NECK FUR COLLAR FOR CHIN COLD PROTECTI-

FRONT ZIPPER WITH PROTECTIVE FLAPS AND PRESS | FRONT ZIPPER WITH PROTECTIVE FLAPS AND PRE STUDS | | 1 CHEST POCKET WITH PROTECTIVE FLAP AND OPENING FOR PENS | | 2 LOWER POCKETS WITH THERMAL INSULATION

| KNITTED CUFFS FOR A PERFECT FIT | THERMAL INSULATION AND QUILTED LINING

| TEMPERATURE IS MAINTAINED IN WET ENVI-RONMENTS

PPE COMPOSITION

| FUR: 100% ACRYLIC FIBRE 700 GR/M²

| KNITTING: 100% ACRILIC FIBRE | OUTER FABRIC: SAFETY ORANGE 100% POLYESTER 207 GR/M² | LINING: 100% POLYESTER 62 GR/M²

| THERMAL INSULATION: 100% POLYESTER 220 GR/M² | REFLECTIVE TAPE: 3MTM SCOTCHLITETM 50MM

|COLOUR: ORANGE

TROUSERS P398 WRT

EU STANDARDS

EN 340

EN 342:2004 CAT II

EC CERTIFICATION 0072/282/162/08/96/0460/EX04 10 04

PPE TECHNICAL FEATURES

IAGAINST COLD AND LOW VISIBILITY

HIGH-RISE BACK FOR KIDNEY MAXIMUM THERMAL PROTEC-

| FRONT ZIPPER WITH PROTECTIVE FLAP AND PRESS STUDS | ADJUSTABLE SUSPENDERS

| LEG ZIPPERS 57 CM LONG WITH PROTECTIVE FLAPS AND PRESS STUDS

| EASY AND FAST TO DRESS | 2 FRONT POCKET WITH THERMAL INSULATION

| 1 BACK POCKET | THERMAL INSULATION AND QUILTED LINING | TEMPERATURE IS MAINTAINED IN WET ENVIRONMENTS

PPE COMPOSITION

 \parallel OUTER FABRIC: SAFETY ORANGE 100% POLYESTER 207GR/ M^2

LINING: 100% POLYESTER 62 GR/M²

| THERMAL INSULATION: 100% POLYESTER 220 GR/M² |REFLECTIVE TAPE 3MTM SCOTCHLITETM 50MM

|COLOUR: ORANGE XXS-XXXL





REFLECTIVE TAPES

To improve visibility, we suggest our clients to customize our models with the addition of reflective tapes. You'll find many examples below. Choose the most convenient location for your specific situation.

3MTM SCOTCHLITETM TAPE LOCATIONS







HEAD PROTECTION

With no head protection from the cold, there is a significant risk of losing body heat. To prevent excessive heat loss, without sacrificing protection, Refrigue offers different garments of head protection for all circumstances.





HOOD P40



EU STANDARDS EN 340 EN 342:2004 CAT II EC CERTIFICATION 0072/282/162/08/96/0464

FOR EFFECTIVE PROTECTION ALWAYS USE WITH SET

PPE TECHNICAL FEATURES

|AMOVIBLE HOOD | FUR HOOD | CAN BE USED IN COMBINATION TO ALL REFRIGUE'S JACKETS AND PARKAS

| KNITTED STRAP AROUND THE FACE FOR BETTER ADJUST ADJUSTABLE DRAWSTRING CLOSING SYSTEM
PRESS STUDS TO FIX ON MODELS
THERMAL INSULATION AND QUILTED LINING TEMPERATURE IS MAINTAINED IN WET ENVIRONMENTS

PPE COMPOSITION

FUE: LOWA CACYLIC FIBRE 700 GR/M²
| OUTER FABRIC: 100% POLYAMIDE 6.6 185 GR/M²
| LINING: 100% POLYESTER 62 GR/M²
| THERMAL INSULATION: 100% POLYESTER 220 GR/M²

|COLOURS: BLACK, NAVY, ROYAL, GREEN, BRING GREEN, RED, ORANGE, WHITE, GREY, CHINO, CARAMEL, BROWN |SIZE: ONE SIZE

BALACLAVA P43

PPE TECHNICAL FEATURES |KNITTED HOOD |MOUTH AND NECK PROTECTION

PPE COMPOSITION

| KNITTING: 100% ACRYLIC FIBRE

|COLOUR: NAVY SIZE: ONE SIZE

HOOD P44

EU STANDARDS EN 340 EN 342:2004 CAT II EC CERTIFICATION 0072/282/162/08/96/0464

EN342 F 0.456M²K/W(B) V

FOR EFFECTIVE PROTECTION ALWAYS USE WITH SET P2425/ P2925

PPE TECHNICAL FEATURES

| FUR HOOD | CHINSTRAP FOR FASTENING WITH VELCRO STRAP | FUR FLAPS TO COVER THE EARS | THERMAL INSULATION AND QUILTED LINING | TEMPERATURE IS MAINTAINED IN WET ENVIRONMENTS

PPE COMPOSITION

| FUR: 100% ACRYLIC FIBRE 700 GR/M² | OUTER FABRIC: 100% POLYAMIDE 6.6 185 GR/M² | LINING: 100% POLYESTER 62 GR/M² | THERMAL INSULATION: 100% POLYESTER 220 GR/M²

|COLOURS: BLACK, NAVY, ROYAL, GREEN, BRING GREEN, RED, ORANGE, WHITE, GREY, CHINO, CARAMEL, BROWN |SIZE: ONE SIZE





CAP P45

PPE TECHNICAL FEATURES

| KNITTED CAP FOR LIGHT COLD PROTECTION

PPE COMPOSITION

| KNITTING: 100% ACRYLIC FIBRE | LINING: THINSULATE 40 GR 3M

|COLOUR: NAVY



RUSSIAN HAT P50

PPE TECHNICAL FEATURES

FUR HOOD

CHINSTRAP FOR FASTENING WITH VELCRO STRAP

FUR FLAPS TO COVER THE EARS
THERMAL INSULATION AND QUILTED LINING
TEMPERATURE IS MAINTAINED IN WET ENVIRONMENTS

PPE COMPOSITION

| FUR: 100% ACRYLIC FIBRE 700 GR/M² | OUTER FABRIC: 100% POLYAMIDE 6.6 185 GR/M² | LINING: 100% POLYESTER 62 GR/M² | THERMAL INSULATION: 100% POLYESTER 220 GR/M²

|COLOURS: BLACK, NAVY, ROYAL, GREEN, BRING GREEN, RED, ORANGE, WHITE, GREY, CHINO, CARAMEL, BROWN |SIZE: ONE SIZE



PROTECTIVE

GLOVES

Body ends are naturally the most exposed to risk. Hands, our best tool for most tasks are essential in daily life. Therefore, they must be protected with the greatest care. Every staff member must always adopt strict hand protection measures against the cold.



MITTS P25



EU STANDARDS EN 340 EN 342:2004 CAT II EC CERTIFICATION 0072/282/162/08/96/0464

FOR EFFECTIVE THERMAL PROTECTION ALWAYS USE WITH SET P2425/ P2925

PPE TECHNICAL FEATURES

| OFFER MAXIMUM PROTECTION AGAINST SUBZERO TEMPERATURES | QUILTED MITTS | KNITTED CUFFS FOR A PERFECT FIT

PPE COMPOSITION

| KNITTING: 100% ACRYLIC FIBRE | OUTER FABRIC: 100% POLYAMIDE 6.6 185 GR/M² | LINING: 100% POLYESTER 62 GR/M² | THERMAL INSULATION: 100% POLYESTER 220 GR/M²

|COLOURS: BLACK, NAVY, ROYAL, GREEN, BRING GREEN, RED, ORANGE, WHITE, GREY, CHINO, CARAMEL, BROWN |SIZE: ONE SIZE



GLOVES NINJA ICE®

EN511: 2006 X2X

EU STANDARDS EN 511:2006

EN 388 EC CERTIFICATE GB07/73371 ISSUED BY SGS, NOTIFIED ORGANISM № 0120

PPE TECHNICAL FEATURES

| HPT COATING (HYDROREPELLENT TECHNOLOGY) COATING ON PALM

EN 20344

| COATED FINGERTIPS | SPONGY, SOFT, DURABLE, FLEXIBLE COATING THAT REPELS LIQUIDS TO PROVIDE A FIRM WET OR DRY GRIP ENCAPSULATED AIR MOLECULES IN OUTSIDE SHELL PROVIDE A CUSHIONED EFFECT TO MINIMIZE IMPACT | ACTIFRESH TREATMENT TO KILL BACTERIA AND PROMOTE FRESHNESS

IE PRESHNESS

| COATING REMAINS SOFT AND FLEXIBLE IN TEMPERATURES AS LOW AS—50° C

| TWO LAYERS LINER / DUAL SHELL CONSTRUCTION

| OPEN BACK VENTILATED

USES GENERAL HANDLING IN COLD ENVIRONMENTS. COLD STORAGE. COMMERCIAL FISHING. CONSTRUCTION. AGRICULTURE. OUTDOOR WINTER USE.



PPE COMPOSITION

| OUTER FABRIC: 100% POLYAMIDE 60 GR/M²

| COATING: HPT™ (HYDROREPELLENT TECHNOLOGY)
COATING ON PALM

INNER LAYER: BRUSHED FOR BETTER COMFORT AND

CUFFS: ELASTIC WITH ACTIFRESH

|COLOUR: BLACK



GLOVES NINJA ICE HV®

PPE TECHNICAL FEATURES

| SEE GLOVES NINJA ICE

PPE COMPOSITION | SEE GLOVES NINJA ICE

|COLOUR: BLACK AND FLUORESCENT YELLOW









GLOVES SNOWFLEX®



 \coprod i

EU STANDARDS FN 511:2006

EN 388

EC CERTIFICATE ISSUED BY SATRA, NOTIFIED ORGANISM

EN 420: 2003 GENERAL REQUIREMENTS FOR GLOVES EN388: 2016 AGAINST MECHANICAL RISKS

EN 511: 2006 AGAINST THE COLD

PPE TECHNICAL FEATURES

SEAMLESS KNITTED LINER
IMPROVES USER COMFORT (NO ROUGHNESS, HEATING POINTS) | REDUCES HAND FATIGUE

| REDUCES HAND PATIGUE | IMPROVES DEXTERITY FOR EASY HANDLING | POLYAMIDE FIBRES OFFER HIGH TOUGHNESS

PROVIDES GOOD RESISTANCE AGAINST ABRASION | RESISTANT AGAINST MOLD AND FUNGUS | LOW WATER ABSORBENT

| INNER LAYER IN WAR FIBRE (ACRYLIC) | PROVIDES COMFORT AND GOOD INSULATION AGAINST COLD | ELASTICATED KNITTED WRIST FOR WAM AND SNUF FIT

EASY DONNING FOR MAXIMUM COMFORT
SPECIAL SOFT, TEXTURED NATURAL PROTECTIVE COA-

TING

PROVIDES GOOD WET GRIP BY CHANNELING AWAY EXCESS FLUID FROM THE SURFACE

| ISO9001 CERTIFICATION FOR A REGULAR AND GOOD

QUALITY OF PRODUCTS

| ELASTICATED KNITTED WRIST

USES REFRIGERATED WAREHOUSING AND STORAGE. DRIVER. PUBLIC WORKS. CONSTRUCTION. DRIVER. TRANS-PORTATION. CARGO HANDLING. MAINTENANCE OF GREEN

PPE COMPOSITION

| OUTER FABRIC: 100% POLYAMIDE | LINING: 100% WARM ACRYLIC TERRY COATING: SPECIAL FOAM NFT LATEX COATING CUFFS: ELASTIC KNIT

|COLOUR: BLACK ISIZES: 9-11

GLOVES NEO5040®

EU STANDARDS

EN 388

EN 374-1

EN 374-5

EN511

EN407

EC CERTIFICATE, ISSUED BY SGS FIMKO OY, NOTIFIED BODY

PPE TECHNICAL FEATURES

| MANUFACTURED FROM CHLOROPRENE RUBBER LATEX | EMBOSSED DIAMON PATTERN ON PALM FOR BETTER

ADDED LINING GIVES A MORE COMFORTABLE AND SWEAT ABSOPTION

| CAN PROVIDE INSULATION AND LIGHT PROTECTION AGAINST THERMAL RISK

HAS BEEN TESTED IN ACCORDANCE TO COLD CONTACT

SUPERIOR DEXTERITY AND RESISTANCE AGAINST ANIMAL FATS AND OIL

CAN BE USED FOR HANDLING SOLVENTS IN OIL REFINE-

I CHEMICALLY TREATED TO ENHANCE PERFORMANCE AND FOR EXTENDED USAGE LIFE

USES REFINING. INDUSTRY. MANURE SPREADING. CHEMISTRY, INDUSTRIAL MAINTENANCE,

PPE COMPOSITION

I OUTER FABRIC: CHLOROPRENE RUBBER LATEX | LINING: 100% ACRYLIC BLACK TERRY | LENGTH: 380 MM * | THICKNESS: 0.68 MM (+/- 0.03 MM)

|COLOUR: BLACK SIZES: 8-10

GLOVES THR713®



EN 388 EU STANDARDS

EN511

EC CERTIFICATE ISSUED BY SATRA, NOTIFIED ORGANISM Nº 2777



PPE TECHNICAL FEATURES

| SEAMLESS KNITTING, NO ROUGHNESS | KNITTING WITH NATURAL ELASTICITY ALLOWING THE GLOVE TO FIT PERFECTLY AROUND THE HAND

| FIT EITHER HANDS | SUITABLE FOR ACTIVITIES REQUIRING GOOD DEXTERITY IN COLD ENVIRONMENTS

| CAN BE WORN AS INSULATING LINER UNDER OTHER

UNSUPPORTED GLOVE

| DEVELOPED TO KEEP THE USER DRY AND COMFORTABLE

REDUCES HAND FATIGUE ELASTICATED KNITTED WRIST FOR A SNUG FIT

ISO9001 SYSTEM IN PRODUCTION

13 GAUGE

USES FISHERY. COLD STORAGE. CONSTRUCTION. PUBLIC WORKS. TRANSPORTATION. MAINTENANCE OF GREEN AREAS. SPORTS.

PPE COMPOSITION

| FABRIC: SYNTHETIC FIBRES COOLMAX® CUFFS: ELASTIC SYNTHETIC FIBRES

|COLOUR: BLUE |SIZE: ONE SIZE



GLOVES 50GHNTH®



EU STANDARDS

EN 388

EN 511

EC CERTIFICATE ISSUED BY SGS FIMKO OY, NOTIFIED BODY № 0598



PPE TECHNICAL FEATURES

SEAMLESS KNITTING, NO ROUGHNESS | KNITTING WITH NATURAL ELASTICITY ALLOWING THE GLOVE TO FIT PERFECTLY AROUND THE HAND | FIT EITHER HANDS | SUITABLE FOR ACTIVITIES REQUIRING GOOD DEXTERITY

IN COLD ENVIRONMENTS

CAN BE WORN AS INSULATING LINER UNDER OTHER UNSUPPORTED GLOVE

UNSUPPORTED GLOVE
| DEVELOPED TO KEEP THE USER DRY AND COMFORTABLE
| REDUCES HAND FATIGUE
| ELASTICATED KNITTED WRIST FOR A SNUG FIT
| ISO9001 SYSTEM IN PRODUCTION

13 GAUGE

USES FISHERY. COLD STORAGE. CONSTRUCTION. PUBLIC WORKS. TRANSPORTATION. MAINTENANCE OF GREEN

PPE COMPOSITION

| OUTER FABRIC: FULL SOFT COW GRAIN LEATHER | LINING: FULLY THINSULATE LINED

|COLOUR: BLACK |SIZES: 8-11





SAFETY FOOTWEAR

Start off on the right foot, stand firm with our collection of boots with materials and pattern on the sole that gives a perfect grip. Safety footwear shoes increase grip on the floor, reduce slipping on wet and unsafe floors, keep our feet warm or protect us from shocks or crushes. To avoid serious damage, always use safety footwear according to the importance of protection (classification S1 to S5) and according to standards required.



BOOTS GR40

EU STANDARDS

EC CERTIFICATE EN ISO20345:2012 EPI—SAFETY FOOTWEAR ISSUED BY INTERLEK, NOTIFIED BODY Nº 2575

PPE TECHNICAL FEATURES
| LIGHTWEIGHT AND FLEXIBLE PU BOOT | EXCELLENT THERMAL INSULATION | ACRYLIC LINING DUAL DENSITY PU POLYURETHANE SOLE WATERPROOF LEATHER ROD | MANUFACTURED WITH STEEL TOECAP | PERFORATION RESISTANT | ENERGY ABSORBING HEEL

SLIP-RESISTANT AND ANTISTATIC SOLE

USES INDUSTRY. LOGISTIC. TRANSPORT. MAINTENANCE GREEN AREAS. CRAFTWORK. CONSTRUCTION. PUBLIC WORKS

|COLOUR: BLACK |SIZES: 39-47

COLD STORAGE

Our thermal cover are efficient, quick to set up, easy to use and compact for storage. Ideal for industrial, commercial and food-processing industry. Their thermal insulation reduces temperature variations but also hot and cold peaks. Discover additional protection for transport of heat sensitive, perishable and pharmaceutical products, reducing the risks of temperature variation during weak segments of logistics.



THERMAL PALLET COVER

PPE TECHNICAL FEATURES

| INSULATED PALLET COVERS
| CONTROLS TEMPERATURES VARIATIONS |
| KEEPS THE COLD INSIDE AND THE WARM OUTSIDE |
| OR THE WARM INSIDE AND THE WARM OUTSIDE |
| PLASTIC POCKET FOR IDENTIFICATION |
| RESISTANT, WASHABLE, LIGHTWEIGHT, BREATHABLE |
| PROTECT PALLET SHIPMENTS |
| AGAINST EXTREME HEAT AND COLD TEMPERATURES |
| CAN BE QUICKLY AND EASILY APPLIED TO SHIPMENTS |
| PROVIDES HIGH PERFORMANCE TEMPERATURE CONTROL |
| PROTECTING FOOD OR FROZEN FOOD AGAINST DAMAGING TEMPERATURE EXCURSIONS DURING TRANSIT. |
| BEST OPTION TO PROTECT FROZEM PRODUCTS AND FOOD IN NON REFRIGERATED AREAS OR TO KEEP FOOD WARM IN COLD ENVIRONMENTS |
| COST EFFECTIVE SOLUTION COMPARED TO REFRIGERATED

| COST EFFECTIVE SOLUTION COMPARED TO REFRIGERATED TRUCKS

STRONG AND FLEXIBLE MATERIAL TO RESIST PUNCTURED AND RIGOROUS HANDLING DURING TRANSIT.

| BLOCK RADIATION, CONVCETION, CONDUCTION AND ODOUR TRANSFER

| CAN BE USED AS BLANKETS OR CURTAINS FOR TRUCKS | SUSTAINABLE ALTERNATIVE WITH ATTENTION TO DURABILITY AND QUALITY

AND QUALITY

| MADE ACCORDING TO CUSTOMER'S SPECIFICATIONS

PPE COMPOSITION

| OUTER FABRIC: 100% POLYAMIDE 6.6 185 GR/M² | LINING: 100% POLYESTER 62 GR/M² | THERMAL INSULATION: 100% POLYESTER 220 GR/M²

|COLOURS: BLACK, NAVY, ROYAL, GREEN, BRING GREEN, RED, ORANGE, WHITE, GREY, CHINO, CARAMEL, BROWN



SERVICES

Refrigue can customize and adjust any garment according to every customer's needs. Some customization and adjustments may generate additional costs and minimal quantities required. To add reflective tapes, refer to the specific chapter (p. 24).

EMBROIDERY

Profile yourself and your business with an exclusive and professional identification with embroidered company logo or name. It is applied directly on the garment or on a badge sewn afterwards. Embroidery allows an excellent rendering. Note that it requires an upstream program creation specific to each drawing.

SPECIAL SIZES

We offer a large range of sizes for every garment, from XXS to XXL, precisely from 34 to 74. Nonetheless, we can produce specific sizes to answer your needs, and protect every worker. Regarding special sizes, consult p. 36.

REPAIRS

Refrigue has launched a service of clothing repairs for our clients, to offer durability and quality. If you own a garment that need fixing, do not hesitate to contact us.

CUSTOMIZATION

Every garment has specific uses, our designs are well known for their efficiency as professional equipment. Although, they may not respond to every need you may have, we offer garment customization for every specific need you shall have in your company.

COLOURS


Black	
Navy	
Royal	
Green	
Bring green	
Red	
Orange	
White	
Grey	
Chino	
Caramel	
Brown	

SIZE GUIDE

Always check your size before ordering. Take your measurements in cm, using a tape to place on your body without tightening. For any special measure, please check the measurements required on the model below, and send us the detailed measurements.

SIZES	XS	S	М	L	XL	XXL	XXXL	TOL/CM
CHEST	77-82	87-92	97-102	107-112	117-122	127-132	137-142	2±
WAIST	66	72-76	82-86	92-96	102-107	112-117	125-137	2±
SIZE	34-36	38-40	42-44	46-50	52-60	62-68	70-74	

GUIDE TO MEASURE SPECIAL SIZES



- 1. CHEST SIZE
- 2. MID-ARM CIRCUMFERENCE
- 3. ARM LENGTH
- 4. BACK HEIGHT
- 5. BACK WIDTH (SHOUDLER TO SHOULDER)
- 6. WAIST SIZE
- 7. HIPS CIRCUMFERENCE
- 8. THIGH CIRCUMFERENCE
- 9. LEG INSEAM LENGTH
- 10. LEG OUTSEAM LENGTH
- 11. TOTAL HEIGHT

WASHING & CARE INSTRUCTIONS

Every garment has specific washing instructions. These are important to follow. The correct wash cycle, care and storage of your workwear is important for its durability, function and long term comfort. The right care is also imperative in order to guarantee specific garment's technical functions.

Hand wash or soft cycle to avoid damaging our garment's materials and functions. It is also important that zips, buttons and Velcro straps are closed when the garment is washed. This reduces wear and tear and lengthens garment's life.

40

Do not bleach Check that the detergent is intended for the garment wash temperatures. Do not use laundry detergent containing bleach. Follow washing instructions in the manual. Be aware that fabric softeners can damage certain fabrics and their function, the breathability of water—repellent membranes can be impaired.



Do not tumble dry We don't recommend tumble drying as a solution. It's best to hang up or dry flat.



Do not dry clean Dry cleaning will damage your garment.



Do not iron Ironing will damage your garment.



Safety footwear In order to fulfil the safety stated characteristics, it is important that shoes are always used and tied correctly. Also pay attention, if your shoes are subject to heavy wear— check that soles, seams and uppers are intact. Clean your shoes regularly with a brush, remove any spots with a damp cloth and use shoe cream on the leather uppers. Never clean shoes with substances such as petrol, acids or solvents. Shoes should be stored in a dry, well-ventilated space. Never dry shoes next to a heat source such as a stove, radiator or drying cabinet. Let them dry and well ventilate at room temperature.

Protective gloves All gloves have a marking showing the correct certification and performance level. A damaged or badly fitting glove provides poorer protection. So you should always check your gloves before use. Take care when working with moving machine parts, because they may get caught and cause damage to your hands. Store in a dry and cool place. Please consult your gloves' marking for the correct washing instructions, or clean with a dry brush.

DISTRIBUTORS

Discover all our distributors from Portugal, Europe and Middle East.

Portugal



RUA DA CONSTITUIÇÃO 1335 4250-167 PORTO

PHONE: (+351) 225 092 329 / (+351) 225 502 829 WEBSITE: WWW.JUBILEU-PORTO.COM E-MAIL: INFO@JUBILEU-PORTO.COM



QUINTA DA BELA VISTA, LOTE 5-B

2660-009 FRIELAS

PHONE: (+351) 219 487 730 / FAX (+351) 219 487 739 WEBSITE: WWW.OCEANOTRADE.COM E-MAIL: COMERCIAL.OCEANOTRADE.COM

Spain



CARRER TRES RIERES, 13, 08292 ESPARREGUERA, BARCELONA, ESPANHA PHONE: +34 937 77 84 90 E-MAIL: COMPRAS@COLDFRED.COM

Italy



CORSO VITTORIO VENETO, 248/R 17100 SAVONA, ITALY

PHONE: +39 019 80 24 26 / FAX: +39 019 85 04 01 WEBSITE: WWW.REFRIGITAL.IT E-MAIL: INFO@REFRIGITAL.IT

Sweden



ERSTSERÖD MYREN 1 GREBBESAD 457 95, SWEDEN

PHONE: +46 (0) 525—64460 WEBSITE: WWW.NORDBOWORKWEAR.SE E-MAIL: INFO@NORDBOKOLDSKYDD.SE



ESTRADA DE PINTÉUS, № 15, FRACÇÃO H NÚCLEO EMPRESARIAL CORAÇÃO DA CREL 2660-194 SANTO ANTÃO DO TOJAL

PHONE: (+351) 219 749 668 / 219 747 133 WEBSITE: WWW.PROTECTEDMODE.PT E-MAIL: INFO@PROTECTEDMODE.PT



AVENIDA INFANTE D. HENRIQUE—LOTE 9 B 1849-034 LISBOA

PHONE: (+351) 217 577 212 / FAX (+351) 217 581 735 WEBSITE: WWW.SINTIMEX.PT E-MAIL: SINTIMEX@SINTIMEX.PT

France



LOT № 3 370 BOULEVARD DE BALMONT LA DUCHERIE—69009 LYON FRANCE

PHONE: +33 4 37 49 05 26 / FAX: +33 4 72 52 97 02 WEBSITE: WWW.LEVETEMENTDUFROID.COM E-MAIL: INFO@LEVETEMENTDUFROID.COM

Germany



VON KURTZROCK RING 16 D - 22391 HAMBURG, DEUTSCHLAND

PHONE: +49 (0) 800 - 432 69 46 E-MAIL: INFO@HFBOY.DE WEBSITE: WWW.HFBOY.DE

Saudi Arabia



P.O. BOX 2650 - DAMMAM 31461 KINGDOM OF SAUDI ARABIA

PHONE: +966 3 8307888 / FAX: +966 3 8321024 WEBSITE: WWW.QURTOBA.COM.SA E-MAIL: INFO@QURTOBA.COM.SA

